

THE ALUMINUM COLLECTION

Open views. Lasting character.

Six distinctive styles. Coordinated gates. The finishing details that make it yours.




YOUR LOCAL TEAM. YOUR NEXT PROJECT.

eaglefencingne.com

(603) 458-7719


A style for every space.

Compare the six ornamental aluminum designs in the collection.




Asheville

Pressed point picket top




Belhaven

Smooth top




Claremont

Smooth top with alternating pickets




Drexel

Alternating pressed point picket top



Elon

Two-rail smooth top



Fairview

Three-rail arched picket top



Black



Bronze




White

Asheville

Pressed point picket top



PICKET CONFIGURATIONS



AVAILABLE HEIGHTS

36, 48, 54, 60 & 72 in.

60 in. also available with non-flush bottom; 72 in. available with four rails.



Black



Bronze



White

Manufacturer pool-height reference: Standard: 60 in. flush bottom & 72 in.
Double: 48, 54, 60 & 72 in.


02 / STYLES / 02

Belhaven

Smooth top



PICKET CONFIGURATIONS



AVAILABLE HEIGHTS

36, 48, 54, 60 & 72 in.

54 in. also available with non-flush bottom; 72 in. available with four rails.



Black



Bronze



White


Manufacturer pool-height reference: Standard: 54 in. flush bottom, 60 & 72 in.
Double: 48, 54, 60 & 72 in.

Claremont

Smooth top with alternating pickets



PICKET CONFIGURATIONS



AVAILABLE HEIGHTS

36, 48, 54, 60 & 72 in.

60 in. also available with non-flush bottom; 72 in. available with four rails.



Black



Bronze



White

Manufacturer pool-height reference: Standard: 54 in. flush bottom, 60 & 72 in.


Double: 48, 54, 60 & 72 in.

Drexel

Alternating pressed point picket top



PICKET CONFIGURATIONS



AVAILABLE HEIGHTS

36, 48, 54, 60 & 72 in.

60 in. also available with non-flush bottom; 72 in. available with four rails.



Black



Bronze



White


Manufacturer pool-height reference: Standard: 60 in. flush bottom & 72 in.
Double: 48, 54, 60 & 72 in.

Elon

Two-rail smooth top



PICKET CONFIGURATIONS



AVAILABLE HEIGHTS

36, 48, 54 & 60 in.

Puppy picket configurations are not offered for Elon.



Black



Bronze



White


Manufacturer pool-height reference: Standard & double: 48, 54 & 60 in.

Fairview

Three-rail arched picket top



PICKET CONFIGURATIONS



AVAILABLE HEIGHTS

36, 48, 54 & 60 in.

60 in. also available with non-flush bottom.



Black



Bronze




White

Manufacturer pool-height reference: Standard: 60 in. flush bottom


03 / CONFIGURATIONS

Choose your pickets.


Four configurations create different spacing and lower-panel profiles.




Standard picket



Double picket



Smooth top puppy picket



Spear top puppy picket

A FEW DETAILS TO KEEP IN MIND

Elon: standard or double pickets only.

Fairview: standard or puppy pickets; double pickets are not offered.

Accent rings prevent sections from racking.

Confirm the selected style, height and configuration when ordering.

A coordinated entrance.

Walkway and driveway gates match the character of your fence.



Arched top walkway




Straight top walkway




Rainbow arch double




Estate arch double



Straight top single



Rainbow arch single



Estate arch single

Fairview offers arched walkway, rainbow arch single/double, and estate arch single/double gates. Other styles offer all seven gate types. Configurations follow each style's available picket options.

Make an entrance.

Custom aluminum gates for walkways and driveways.




BUILT AROUND YOUR OPENING

Sliding cantilever or single- and double-leaf swing designs.
All-welded construction in residential, commercial and industrial grades.
Gates can be fabricated up to 20 ft. wide per leaf.
Personalize with lettering, colors, designs and decorative accents.
Available in black, bronze and white.

The details make it yours.

Coordinate caps, finials, rings and scrolls with your fence and gates.




Flat cap



Ball cap



Solar cap



Victorian finial




Triad finial



Quad finial



Accent rings



Butterfly scroll




Estate scroll

Accent rings prevent sections from racking. Product images are not to scale. Sloped gates are also available; discuss the opening and site conditions with Eagle.

Hardware that works.

Latches, drop rods and hinges for your gate configuration.




LokkLatch Deluxe

D&D | Dual-lockable



LokkLatch gravity

D&D | Single / double sided



Gravity latch

Standard



Gate drop rod

Cane bolt



Q-Bolt drop rod

D&D | Padlockable



LokkBolt drop rod

D&D | Lockable




MagnaLatch Series 3

D&D Technologies



MagnaLatch ALERT

D&D | Series 3



Magnetic safety latch

Economy

Select the latch and hinge combination for the gate size, use and local requirements. D&D; product names identify the hardware shown in the supplier collection.

Built to come together.

Hinges, mounting options and coordinated fasteners.



Commercial HD hinge



5 in. spring-loaded hinge



TruClose Regular HD



TruClose Regular Standard



LokkLatch Magnetic



KwikFit multi-mount hinge



Deck mount



Fixed wall mount



Adjustable wall mount



Universal wall mount

Screws: 410 stainless steel with Cr6 plating and TGIC polyester powder coating. Used to attach fence sections to posts. Black, bronze or white; 100-piece packages. Images are not to scale.

The specifications.

Manufacturer specifications for selecting sections, posts and gate components.

RESIDENTIAL FENCE	DIMENSION / MATERIAL
Posts	2 x 2 in. 0.060 in. wall
Gate posts	2 x 2 in. 0.125 in. wall
Rails (top & side wall)	1 in. 0.055 in. wall
Pickets	5/8 in. square 0.045 in. wall
Picket spacing	3-15/16 in.
Alloy / finish	6063-T5 aluminum; TGIC powder coating. Supplier states finish exceeds AAMA 2604-05.

Sections: Residential widths: 72 in. Commercial / industrial: 72 or 96 in. Sections are preassembled; standard packaging is 8 or 10 sections per box.

Racking: Standard punched sections rack 15 in. over 72 in. Triple-punched sections rack up to 30 in. over 72 in. Specify triple punch when more than 15 in. is needed. Accent rings prevent racking.

Gates: Welded frames and pickets welded at cross members. Top and bottom rails match fence sections. Gate uprights: 1-5/8 in., 0.125 in. wall. Standard and custom sizes.

Plan the right fit.

Custom-gate grades and pool-height references.

CUSTOM GATE GRADE	RAIL	PICKET
Residential	1 x 1 x .060 in.	5/8 x 5/8 x .045 in.
Commercial	1-1/4 x 1-1/4 x .085 in.	3/4 x 3/4 x .055 in.
Industrial	1-1/2 x 1-1/2 x .085 in.	1 x 1 x .060 in.

Custom-gate posts (in.): 2 x 2 x .062 or .125; 2-1/2 x 2-1/2 x .075 or .125; 3 x 3 x .125; 4 x 4 x .125; 6 x 6 x .125. All grade components: 6063-T5 aluminum.

POOL PLANNING

The style pages list the manufacturer's BOCA pool-height references. These references do not establish approval for a specific property. Confirm the current local pool-barrier requirements, gate hardware and installation conditions before purchase.

CONFIRM BEFORE ORDERING

Style and height. Picket configuration. Finish color.
Section grade and width. Gate opening and swing.
Posts, mounts, latches, hinges and site slope.

09 / PRODUCT CARE & WARRANTY

Confidence in the details.

Manufacturer warranty information and ordering notes.

MANUFACTURER LIMITED LIFETIME WARRANTY

Fort Mill Ornamental provides the original consumer purchaser with a non-transferable limited lifetime warranty on aluminum fence products against workmanship defects and powder coating that cracks, chips or peels. Gate workmanship, including welds, is warranted for two years. Custom gates do not carry a warranty.


The warranty excludes damage resulting from uses for which the fence was not designed, negligence, alteration, accident, improper storage or installation, abuse, misuse, vandalism, acts of war or acts of God. Proof of purchase is required.

The manufacturer's complete warranty governs. No person is authorized to change or modify that warranty. Manufacturer terms are separate from any Eagle Fencing installation agreement.

Complete manufacturer warranty: fortmillornamental.com

ABOUT THIS COLLECTION

Products shown are from the Fort Mill Ornamental collection. Confirm pricing, availability, dimensions and lead times with Eagle before ordering. Photos and illustrations are representative; colors can vary by screen and print.



LET'S BUILD SOMETHING GOOD.

Your space. Your next fence.

Talk with our team about styles, materials and the right fit for your project.

(603) 458-7719

contact@eaglefencingne.com

370 N Broadway | Salem, NH 03079